

Public report
gathering at
collection of
Davis Highw

AD-A278 388



1 PAGE

Form Approved
OMB No. 0704-0188

our per response, including the time for reviewing instructions, searching existing data sources,
tion of information. Send comments regarding this burden estimate or any other aspect of this
ton Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson
ent and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY

3. REPORT TYPE AND DATES COVERED
01 Feb 91 - 30 Sep 93 (Final Report)

4. TITLE AND SUBTITLE

COHERENT PROCESSES IN ATOM IN STRONG RADIATION FIELDS

5. FUNDING NUMBERS

AFOSR-91-0109

2

6. AUTHOR(S)

Professors C. W. Clark & Tl J. McIlrath

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

University of Maryland
Institute of Physical Science & Technology
College Park MD 20742

8. PERFORMING ORGANIZATION
REPORT NUMBER

AFOSR-TR- 94 0215

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)

AFOSR/NE
110 Duncan Avenue, Suite B115
Bolling AFB DC 20332-0001

10. SPONSORING / MONITORING
AGENCY REPORT NUMBER

2301/A4

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION / AVAILABILITY STATEMENT

UNLIMITED

Approved for public release;
distribution unlimited.

12b. DISTRIBUTION CODE

13. ABSTRACT (Maximum 200 words)

DTIC
ELECTE
APR 20 1994
S F D

SEE REPORT FOR ABSTRACT

14. SUBJECT TERMS

15. NUMBER OF PAGES

16. PRICE CODE

17. SECURITY CLASSIFICATION
OF REPORT

UNCLASSIFIED

18. SECURITY CLASSIFICATION
OF THIS PAGE

UNCLASSIFIED

19. SECURITY CLASSIFICATION
OF ABSTRACT

UNCLASSIFIED

20. LIMITATION OF ABSTRACT

UL

94 4 19 049

Approved for public release;
distribution unlimited.

FINAL REPORT TO THE
AIR FORCE OFFICE OF SCIENTIFIC RESEARCH
for Grant No. AFOSR-91-0109

COHERENT PROCESSES IN ATOM IN STRONG RADIATION FIELDS

February 1, 1991 - September 30, 1993

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

Principal Investigators

C.W. Clark
T.J. McIlrath

94-11878



SPX

During this grant period work proceeded to study alternative methods of integrating the higher dimensional time-dependent partial differential equations that arise in the study of atoms interacting with intense laser radiation. Present methods use, for example, Taylor series propagators applied to finite-difference and basis set models. We have more recently developed modified propagators based on polynomial extrapolation, rational polynomial extrapolation (Buelisch-Stoer), and have prepared versions that can be effectively vectorized on Cray YMP computers, and in the case of polynomial extrapolation, parallelize on massively parallel computers. In addition, the stability and accuracy of the finite-difference models has been compared to those based on interpolatory splines.

The main effort in this grant was directed toward developing numerical integrators for the Schroedinger equation describing the interaction on atoms with circularly polarized light. Previous work focused on the interaction of one- and two-electron atoms with linearly polarized light. In the case of one-electron atoms in linear polarized fields, the symmetry of the polarization axis could be exploited to reduce the 3-dimensional partial differential equations to equations that are effectively 2-dimensional. With circularly polarized light, the full 3-dimensional equations must be solved. In the last year we have developed two successful approaches to the problem. The first approach is a basis set approach, in which the partial differential equations are written as large matrix equations on a basis of ortho-normal functions. This is an upgrade of the code used to integrate Schroedinger's equation in the linearly polarized case. The greater computational effort is evident in the increase requirements of CPU time in the 3-dimensional case. Problems that required 1.5 hours in the 2-dimensional case now

require 30 hours on a Cray YMP. The method is appropriate for vectorizing super-computers, but does not yet run efficiently on massively parallel computers.

A finite-difference code for the 3-dimensional problem has been developed that runs efficiently on the CM-2 and CM-5 massively parallel computers. The method employs absorbing boundary conditions and the split-operator Richardson propagator. The absorbing boundary conditions are appropriate in studies of the the high harmonics of the laser radiation, which are calculated from the wave-function near the atomic core, far from the boundaries of the integration volume.

We have focused in the final stage on the theory of the interaction of one-electron atoms with intense, 2-color polarized laser radiation. Under these circumstances the atoms in intense fields emit high harmonics of circularly polarized radiation. (Monochromatic radiation will not generate harmonics.) We have now calculated the harmonic spectrum generated by one-electron atoms interacting with 2-color circularly polarized light of opposite helicities, and same helicities.

Publications:

Reports accepted for publication

"R-matrix theory of two-photon absorption: application to beryllium and carbon", M. W. Smith, K. T. Taylor, and C. W. Clark (**J. Phys. B: At. Mol. Opt. Phys.** in press).

Closed-form solutions of the Schroedinger equation for a model one-dimensional atom, W.-C. Liu and C. W. Clark (**J. Phys. B: At. Mol. Opt. Phys.** in press).

L. Pau, K.T. Taylor and C.W. Clark, *Convergence of Rayleigh-Schrodinger Perturbation Theory in Calculations of Multiphoton Processes*, Radiation Effects and Defects in Solids, 123, 725 (1991).

M.W. Smith, K.T. Taylor and C.W. Clark, *R-matrix theory of two-photon absorption: application to beryllium and carbon*, J. Phys. B: At. Mol. Opt. Phys., 25, 3985 (1992)

W.-C. Liu and C.W. Clark, *Closed-form solutions of the Schrodinger equation for a model one-dimensional atom*, J. Phys. B: At. Mol. Opt. Phys., in press.

J. Parker and C.W. Clark, *Study of a plane-wave final-state theory for above-threshold ionization*, submitted to Phys. Rev. A.